

# **Safety Data Sheet** Spartan Chemical Company, Inc.

Revision Date: 27-Mar-2020

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

**Product Name: CONTEMPO H2O2 SPOTTING SOLUTION** 

**Product Number:** 3037, 3137 Recommended Use: Cleaning agent

For Industrial and Institutional Use Only **Uses Advised Against:** 

Manufacturer/Supplier: Spartan Chemical Company, Inc.

> 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

**Medical Emergency/Information:** 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin Corrosion/Irritation: Category 2 Category 2A Serious Eye Damage/Eye Irritation:

**GHS Label Elements** 

Signal Word: Warning

Symbols:

**Hazard Statements:** Causes skin irritation.

Causes serious eye irritation

**Precautionary Statements:** 

Wash hands and any exposed skin thoroughly after handling. Prevention:

Wear protective gloves Wear eye / face protection

Response:

-Skin

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical

attention. Take off contaminated clothing and wash before reuse

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. -Specific Treatment:

Not Applicable Storage: Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed.

- Inhalation of vapors or mist may cause respiratory irritation.
- Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

Revision Date: 27-Mar-2020

Keep out of reach of children.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Butoxydiglycol	112-34-5	1-5
Hydrogen Peroxide	7722-84-1	1-5
Citric Acid	77-92-9	0.1-1
Sodium Sesquicarbonate	533-96-0	0.1-1
Disodium Cetyl Phenyl Ether Disulfonate	65143-89-7	0.1-1
Undeceth-3	34398-01-1	0.1-1
Polycarbonate, Sodium Salt	60472-42-6	0.1-1
Poly(Oxy-1,2-Ethanediyl) a,a-[[[3-(Decyloxy)Propyl]Methyliminio]Di-2,1-Ethan ediyl]Bis[w-Hydroxy-,Branched,Chlorides	68478-94-4	<0.1
Fragrance	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

**-Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**-Skin Contact:** Wash with plenty of soap and water. Take off contaminated clothing and wash before

reuse. If skin irritation occurs: Get medical attention.

**-Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

**Note to Physicians:** Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

**Specific Hazards Arising from the** 

. Chemical: Combustion products are toxic. Releases oxygen when heated to decomposition which may

intensify fire.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

**Incompatible Materials:** Sodium hypochlorite (or other hypochlorites). Metals.

**Suggested Shelf Life:** Minimum of 2 years from date of manufacture.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name		ACGIH TLV	OSHA PEL	NIOSH -	
	Butoxydiglycol	TWA: 10 ppm inhalable fraction	-	-	
	112-34-5	and vapor			
	Hydrogen Peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm	
	7722-84-1		TWA: 1.4 mg/m <sup>3</sup>	TWA: 1 ppm	
			(vacated) TWA: 1 ppm	TWA: 1.4 mg/m <sup>3</sup>	
			(vacated) TWA: 1.4 mg/m <sup>3</sup>	_	

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other angionaring postrola about the considered.

Revision Date: 27-Mar-2020

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:** Wear splash goggles.

**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

**General Hygiene Considerations:** Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Pleasant
pH:	5.0-6.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.016
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY	10.	STABIL	_ITY	AND	REA	CTIVITY
------------------------------	-----	--------	------	-----	-----	---------

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Revision Date: 27-Mar-2020

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas.

**Conditions to Avoid:** Extremes of temperature and direct sunlight.

**Incompatible Materials:** Sodium hypochlorite (or other hypochlorites). Metals.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

**Products:** 

# 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain, redness, swelling of the conjunctiva and blurred vision.

-Skin Contact:
-Inhalation:
-Ingestion:
Pain, redness and cracking of the skin.
Nasal discomfort and coughing.
Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

.

ATEmix (oral): 45642 mg/kg ATEmix (dermal): 54439 mg/kg ATEmix (inhalation-dust/mist): 100 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
Butoxydiglycol = 5660 mg/kg ( Rat ) 112-34-5		= 2700 mg/kg ( Rabbit )	Not Available
Hydrogen Peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat)	$= 2 \text{ g/m}^3 \text{ (Rat) 4 h}$
Citric Acid = 3 g/kg ( Rat ) 77-92-9		Not Available	Not Available
Disodium Cetyl Phenyl Ether Disulfonate 65143-89-7	> 5000 mg/kg(Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Butoxydiglycol 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	100: 48 h Daphnia magna mg/L EC50
Hydrogen Peroxide 7722-84-1	Not Available	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	18 - 32: 48 h Daphnia magna mg/L EC50 Static
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available

<u>Persistence and Degradability:</u> No information available. <u>Bioaccumulation:</u> No information available.

Other Adverse Effects: No information available.

# 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:**Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.

#### 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

Proper Shipping Name: Non Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 27-Mar-2020

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non Hazardous Product

# 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

Butoxydiglycol

CAS No 112-34-5 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

#### SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

#### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

# **16. OTHER INFORMATION**

NFPA Health Hazards: 2 Flammability: 0 Instability: 1 Special: N/A

Health Hazards: 2 Flammability: 0 Physical Hazards: 1

**Revision Date:** 27-Mar-2020 **Reasons for Revision:** Section 11

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**